



## ROLLER SHUTTER PROFILE



Foam-filled Slats For Roller Shutter


ULEPANDA

## ▼ 6 Product Features

- Sun-shading
- Sound insulation
- Wind-proof and dust-proof
- Ventilation and dimming
- Cold proof
- Privacy and security



## ▼ 77mm\*0.44mm Aluminum Slat



### Technical Specifications

Size	77mm
Nominal Thickness	18.6mm
Plate Thickness	0.44mm
Weight	310g/m, 4.0kg/m <sup>2</sup>
Lighting Hole Size	-
Pu Density	60-65kg/m <sup>3</sup>
Maximum Shutter Width	≤5.0m
Maximum Shutter Height	≤4.0m
Slats Per Meter	13


### Packing Data

Length	3m-7.5m
Slats Per Package	10 Pcs



## Diameters of winding

Height (mm)	Diameter	
	$\phi 70$	$\phi 89$
1000	180	200
1200	200	200
1400	210	215
1600	220	230
1800	235	230
2000	235	245
2200	235	250
2400	255	255
2600	265	275
2800	265	275
3000	270	285
3200	285	285
3400	300	305
3600	300	305
3800	300	310
4000	315	320




## ▼ RICH COLORS

For all the visible surfaces of our products made of aluminum, we offer five common color combinations or customized by RAL colors. The color scheme will always match your building space perfectly.

### BASIC COLOR



### PERSONALIZED COLOR




## ▼ QUALITY ASSURANCE



- Five years warranty for the condition under regular use and maintenance and without human damage;
- Provide five years the quality assurance of aluminum alloy materials do not fade.

### EXCELLENT CRAFTSMANSHIP

Imported from Italy production line, each production shift, each batch of materials has a self-inspection sample to ensure 100% quality inspection and comply with the EU standards. Each product will be the same.



# ULEPANDA

ULE PANDA

Craft by Nanjing Jinxing Yu  
Energy Saving Technology Co., Ltd

---

Address: 6 Liyuan Rd, Pukou District, Nanjing, Jiangsu, China, 211806

Email: [info@ulepanda.com](mailto:info@ulepanda.com)

[www.ulepanda.com](http://www.ulepanda.com)

